Substitute Specification



10

15

20

HYDRAZINE-BASED AND CARBONYL-BASED BIFUNCTIONAL CROSSLINKING REAGENTS

RELATED APPLICATIONS

This application is a divisional of U.S. patent 6,800,728, patent application No.: 09/815,978, filed March 22, 2001 entitled "HYDRAZINE-BASED AND CARBONYL-BASED BIFUNCTIONAL CROSSLINKING REAGENTS" which claims priority to U.S. provisional patent application No. 60/191,186, filed March 22, 2000, to Schwartz, entitled "NOVEL HYDRAZINE-BASED AND CARBONYL-BASED BIFUNCTIONAL CROSSLINKING REAGENTS." The disclosures of the above-referenced applications are incorporated herein in their entirety.

FIELD OF THE INVENTION

The present disclosure may be applied in general to the field of chemistry, more particularly in the area of crosslinking reagents.

BACKGROUND OF THE INVENTION

Methods to crosslink biomolecules such as proteins, oligonucleotides and carbohydrates to each other, to radioactive and non-radioactive metal chelates, to drugs and to surfaces have allowed development of both <u>in vitro</u> and <u>in vivo</u> diagnostic assays as well as <u>in vivo</u> therapies. A wide variety of methods have been developed and reviewed (Greg T. Hermanson, <u>Bioconjugate Techniques</u>, Academic Press).

There are a limited number of crosslinking couples, i.e.,
maleimide/thiol and bromoacetamide/thiol, that are routinely used to

25 prepare conjugates for diagnostic and therapeutic uses. These reagents
have limitations in that at high protein concentrations (i.e., >5 mg/mL)
protein/protein crosslinking may occur. Also, the maleimido-modified
moieties have a limited half-life due to hydrolysis at neutral and basic pH.
Incorporation of thiol moieties on biomolecules requires both a coupling

30 and a subsequent activation step. The resultant thiol-modified proteins
can readily oxidize to form disulfide polymerized proteins. Also
macromolecules containing disulfide bonds, i.e., antibodies, are readily